# **Merchant Descriptors**

Simple Order API



**Developer Guide** 



© 2024. Cybersource Corporation. All rights reserved.

Cybersource Corporation (Cybersource) furnishes this document and the software described in this document under the applicable agreement between the reader of this document (You) and Cybersource (Agreement). You may use this document and/or software only in accordance with the terms of the Agreement. Except as expressly set forth in the Agreement, the information contained in this document is subject to change without notice and therefore should not be interpreted in any way as a guarantee or warranty by Cybersource. Cybersource assumes no responsibility or liability for any errors that may appear in this document. The copyrighted software that accompanies this document is licensed to You for use only in strict accordance with the Agreement. You should read the Agreement carefully before using the software. Except as permitted by the Agreement, You may not reproduce any part of this document, store this document in a retrieval system, or transmit this document, in any form or by any means, electronic, mechanical, recording, or otherwise, without the prior written consent of Cybersource.

#### **Restricted Rights Legends**

For Government or defense agencies: Use, duplication, or disclosure by the Government or defense agencies is subject to restrictions as set forth the Rights in Technical Data and Computer Software clause at DFARS 252.227-7013 and in similar clauses in the FAR and NASA FAR Supplement.

For civilian agencies: Use, reproduction, or disclosure is subject to restrictions set forth in subparagraphs (a) through (d) of the Commercial Computer Software Restricted Rights clause at 52.227-19 and the limitations set forth in Cybersource Corporation's standard commercial agreement for this software. Unpublished rights reserved under the copyright laws of the United States.

#### **Trademarks**

Authorize.net and The Power of Payment are registered trademarks of Cybersource Corporation. Cybersource and Cybersource Decision Manager are trademarks and/or service marks of Cybersource Corporation. Visa, Visa International, Cybersource, the Visa logo, the Cybersource logo, and 3-D Secure are the registered trademarks of Visa International in the United States and other countries. All other trademarks, service marks, registered marks, or registered service marks are the property of their respective owners.

Version: 24.01

## Contents

Recent Revisions to This Document	4
About This Guide	6
AIBMS Merchant Descriptor	7
American Express Direct Merchant Descriptors	9
Barclays Merchant Descriptors	13
Chase Paymentech Solutions Merchant Descriptors	14
Merchant Descriptor Logic	14
Characters	15
API Fields	16
Cielo Merchant Descriptor	19
Comercio Latino Merchant Descriptor	20
Elavon Merchant Descriptor	21
Elavon Americas Merchant Descriptors	22
FDC Compass Merchant Descriptors	26
Characters	26
API Fields	27
FDC Nashville Global Merchant Descriptors	30
Merchant Descriptor Logic	30
API Fields	31
FDMS South Merchant Descriptor	36
Getnet Merchant Descriptor	37
GPN Merchant Descriptors	38
OmniPay Direct Merchant Descriptors	39
Prosa Merchant Descriptor	43
Rede Merchant Descriptor	44
SIX Merchant Descriptors	45
Software Express Merchant Descriptor	48
Streamline Merchant Descriptors	49
TSYS Acquiring Solutions Merchant Descriptors	51
Vero Merchant Descriptor	53
Visa Platform Connect Merchant Descriptors	55
Worldpay VAP Merchant Descriptors	64

### Recent Revisions to This Document

24.01

This update contains only editorial changes and no technical updates.

22.03

#### Visa Platform Connect

Added the **invoiceHeader\_merchantDescriptorCountryOfOrigin** request field for authorizations. See Visa Platform Connect Merchant Descriptors (on page 55).

22.02

### **Barclays**

Updated information for the Barclays processor. See Barclays Merchant Descriptors (on page 13).

22.01

**GPN** 

Updated information for the processor. See GPN Merchant Descriptors (on page 38).

21.02

Vero

Added support for the processor. See Vero Merchant Descriptor (on page 53).

21.01

Cielo

Updated information for the processor. See Cielo Merchant Descriptor (on page 19).

Getnet

Updated information for the processor. See Getnet Merchant Descriptor (on page 37).

#### RedeRede

Updated information for the processor. See Rede Merchant Descriptor (on page 44).

#### **Software Express**

dded support for the processor. See Software Express Merchant Descriptor (on page 3).		

### **About This Guide**

This section describes the audience and purpose of this guide as well as conventions and related documentation. See below for information about how to use this guide and where to find further information.

### **Audience and Purpose**

This guide is written for application developers who want to use the Simple Order API to integrate merchant descriptors into their payment acceptance system.

Implementing merchant descriptors requires software development skills. You must write code that uses the API request fields to include merchant descriptor fields in credit card service requests.

### Conventions

The following special statements are used in this document:



**Important:** An *Important* statement contains information essential to successfully completing a task or learning a concept.



**Warning:** A *Warning* contains information or instructions, which, if not heeded, can result in a security risk, irreversible loss of data, or significant cost in time or revenue or both.

### **Related Documentation**

Refer to the Support Center for complete technical documentation:

https://docs.cybersource.com/en/index.html

### **Customer Support**

For support information about any service, visit the Support Center:

http://support.cybersource.com

## **AIBMS Merchant Descriptor**

### **Services:**

- Authorization
- Capture
- Credit

This feature enables you to submit merchant descriptor values that appear on a cardholder's statement.

Before including merchant descriptors in your requests, check with your bank to learn whether you must preregister your merchant descriptor information with them.

**Merchant Descriptor Fields for AIBMS** 

Field	Description	Used By: Req uired (R) or Optional (O)	Data Type & Length
invoiceHeader_m erchantDescrip tor	Merchant description that appears on the cardholder's statement.  When you include more than one consecutive space, extra spaces are removed.	ccAuthService (R when the merchant descriptor contact is included in the request)  ccCaptureService (R when the merchant descriptor contact is included in the request)  ccCreditService (R when the merchant descriptor contact is included in the request)	String (22)
invoiceHeader_m erchantDescripto rContact	Merchant contact information, such as a phone number, that appears on the cardholder's statement.	ccAuthService (0) ccCaptureService (0)	String (13)

**Merchant Descriptor Fields for AIBMS (continued)** 

Field	Description	Used By: Req uired (R) or Optional (O)	Data Type & Length
	When you include more than one consecutive space, extra spaces are removed.	ccCreditService (0)	

## American Express Direct Merchant Descriptors

#### Services:

- Capture
- Credit

This feature enables you to submit merchant descriptor values that appear on a cardholder's statement.

Before including merchant descriptors in your requests:

- Contact American Express Direct to register to use merchant descriptors.
- Contact customer support to have your account configured for this feature.

Even though the following merchant descriptors are supported, American Express Direct does not always include all these merchant descriptors on the cardholder's statement.

**Merchant Descriptor Fields for American Express Direct** 

Field	Description	Used By: Req uired (R) or Optional (O)	Data Type & Length
invoiceHeader_me rchantDescriptor	Your business name. American Express displays this value on the cardholder's statement. When you include more than one consecutive space, extra spaces are removed.  When you do not include this value in your request, the value in your account is sent to the processor. To add this value to your account, contact customer support.  Aggregator Merchants  If you are an aggregator, see the Aggregator Support section in Credit Card Services Using the Simple Order API for information about merchant descriptors for aggregator merchants.	ccCaptureService (R when the merchant descriptor contact is included in the request. You can provide the merchant descriptor in your account instead of in the request.)  ccCreditService (R when the merchant descriptor contact is included in the request. You can provide the merchant	String (27)

**Merchant Descriptor Fields for American Express Direct (continued)** 

Field	Description	Used By: Req uired (R) or Optional (O)	Data Type & Length
		descriptor in your account instead of in the request.)	
invoiceHeader_me rchantDescriptor City	City or phone number for your business. American Express might display this value on the cardholder's statement.	ccCaptureService (0) ccCreditService	String (21)
	For card-present transactions, American Express recommends that this field contain the city in which your business is located. For card-not-present transactions, American Express recommends that this field contain the phone number for your business. It should be a toll free number or a local number.	(0)	
	When you do not include this value in your request, the value in your account is sent to the processor. To add this value to your account, contact customer support.		
invoiceHeader_me rchantDescriptor Contact	Contact information for your business. American Express might display this value on the cardholder's statement. This value could be used to resolve billing inquiries and disputes. When you include more than one consecutive space, extra spaces are removed.	ccCaptureService (0) ccCreditService (0)	String (40)
	For card-present transactions, American Express recommends that this field contain your phone number. For card-not-present transactions, American Express recommends that this field contain the URL for your web site.		

**Merchant Descriptor Fields for American Express Direct (continued)** 

Field	Description	Used By: Req uired (R) or Optional (O)	Data Type & Length
	When you do not include this value in your request, the URL or phone number in your account is sent to the processor. To add this value to your account, contact customer support.		
invoiceHeader_me rchantDescriptor Country	Country code for your business location. American Express might display this value on the cardholder's statement. Use the standard ISO Standard Country Codes.  When you do not include this value in your request, the value in your account is sent to the processor. To add this value to	ccCaptureService (0) ccCreditService (0)	String (2)
	your account, contact customer support.		
invoiceHeader_me rchantDescriptor PostalCode	Postal code for your business location. American Express might display this value on the cardholder's statement.  When you do not include this value in your request, the value in your account is sent to the processor. To add this value to your account, contact customer support.  Before sending the postal code to the processor, all non-alphanumeric characters are removed and, if the remaining	ccCaptureService (0)  ccCreditService (Required when you are an aggregator; otherwise, optional)	String (15)
	value is longer than nine characters, the value is truncated starting from the right side.		
invoiceHeader_me rchantDescriptorS tate	State code or region code for your business location. American Express might display this value	ccCaptureService (0)	String (3)

**Merchant Descriptor Fields for American Express Direct (continued)** 

Field	Description	Used By: Req uired (R) or Optional (O)	Data Type & Length
	on the cardholder's statement. For the U.S. and Canada, use the standard State, Province, and Territory Codes for the United States and Canada.  When you do not include this value in your request, the value in your account is sent to the processor. To add this value to your account, contact customer support.	ccCreditService (0)	
invoiceHeader_me rchantDescriptorS treet	Street address for your business location. American Express might display this value on the cardholder's statement. If the street address is more than 38 characters, use meaningful abbreviations.  When you do not include this value in your request, the value in your account is sent to the processor. To add this value to your account, contact customer support.	ccCaptureService (0)  ccCreditService (Required when you are an aggregator; otherwise, optional)	String (38)

## **Barclays Merchant Descriptors**

### **Services:**

- Capture
- Credit

This feature enables you to submit merchant descriptor values that appear on a cardholder's statement.

Before including merchant descriptors in your requests, you must be boarded to the Barclays multi-currency platform.

**Merchant Descriptor Fields for Barclays** 

Field	Description	Used By: Req uired (R) or Optional (O)	Data Type & Length
invoiceHeader_m erchantDescrip tor	Merchant description that appears on the cardholder's statement.  When you include more than one consecutive space, extra spaces are removed.	ccCaptureService (R when the merchant descriptor contact is included in the request)  ccCreditService (R when the merchant descriptor contact is included in the request)	String (23)
invoiceHeader_m erchantDescripto rContact	Merchant contact information, such as a phone number, that appears on the cardholder's statement.  When you include more than one consecutive space, extra spaces are removed.	ccCaptureService (0) ccCreditService (0)	String (13)

## Chase Paymentech Solutions Merchant Descriptors

#### Services:

- Authorization
- Capture
- Credit

### Card types:

- American Express—Transaction Advice Addendum (TAA) field only
- Discover—merchant descriptor and merchant descriptor contact fields only
- Mastercard—merchant descriptor and merchant descriptor contact fields only
- Visa—merchant descriptor and merchant descriptor contact fields only

This feature enables you to submit merchant descriptor values that appear on a cardholder's statement.

Before including merchant descriptors in your requests:

- Prepare a list of the merchant descriptors you plan to use.
- Contact Chase Paymentech Solutions for information about working with merchant descriptors. Chase Paymentech Solutions restricts the number of merchant descriptors you can use.
- Contact customer support to have your account enabled for this feature.

### **Merchant Descriptor Logic**



**Important:** Some of the logic described in this section might not apply to your implementation depending on which parts of the merchant descriptor functionality are enabled in your account.

The logic described in this section applies to the **invoiceHeader\_merchantDescriptor** and **invoiceHeader\_merchantDescriptorContact** fields. It does not apply to the TAA fields.

For authorizations, merchant descriptor information is sent to Chase Paymentech Solutions only when you include merchant descriptor information in the authorization request.

For captures, merchant descriptor information is sent to Chase Paymentech Solutions when you provide merchant descriptor information in the capture request, authorization request, or your account. When you do not include the merchant descriptor values in a capture request, the values from the authorization request are sent. If you did not include the merchant descriptor values in the authorization request, the values in your account are sent.

For follow-on credits, merchant descriptor information is sent to Chase Paymentech Solutions when you provide merchant descriptor information in the credit request, capture request, authorization request, or your account. When you do not include the merchant descriptor values in a follow-on credit request, the values from the capture request are sent. If you did not include the merchant descriptor values in the capture request, the values from the authorization request are sent. If you did not include the merchant descriptor values in the authorization request, the values in your account are sent.

For stand-alone credits, merchant descriptor information is sent to Chase Paymentech Solutions when you provide merchant descriptor information in the credit request or your account. When you do not include the merchant descriptor values in a stand-alone credit request, the values in your account are sent.

To add a merchant descriptor value to your account, contact customer support.

### Characters

In the merchant descriptor fields, question marks are replaced with spaces.

Do not use the following punctuation characters in the merchant descriptor fields because they will cause the transaction to be rejected with reason code 233:

caret ( ^ )
backslash ( \ )
open bracket ( [ )
close bracket ( ] )
tilde ( ~ )

accent ( ` )

### **API Fields**

**Merchant Descriptor Fields for Chase Paymentech Solutions** 

Field	Description Description	Used By: Required (R) or Optional (O)	Data Type & Length
invoiceHeader_a mexDataTAA1 invoiceHeader_a mexDataTAA2 invoiceHeader_a mexDataTAA3 invoiceHeader_a mexDataTAA4	Four Transaction Advice Addendum (TAA) fields. These fields are used to display descriptive information about a transaction on the customer's American Express card statement. When you send TAA fields, start with invoiceHeader_amexDataTAA1, thenTAA2, and so on. Skipping a TAA field causes subsequent TAA fields to be ignored.  To add this value to your account, contact customer support.	ccCaptureService (0) ccCreditService (0)	String (40)
	These fields are frequently used for Level II transactions. See <i>Level II and Level III Processing Using the Simple Order API</i> .		
invoiceHeader_m erchantDescrip tor	Merchant description that is displayed on the cardholder's statement. When you include more than one consecutive space, extra spaces are removed. For an installment transaction, you must use one of the following formats:  • <12-character merchant name>*PYMT <n>OF<m> • &lt;7-character merchant name&gt;*PYMT<n>OF<m>  • &lt;3-character merchant name&gt;*PYMT<n>OF<m></m></n></m></n></m></n>	ccAuthService (R when the merchant descriptor contact is included in the request)  ccCaptureService (R when the merchant descriptor contact is included in the request)  ccCreditService (R when the merchant descriptor contact is included in the request)	String (22)

**Merchant Descriptor Fields for Chase Paymentech Solutions (continued)** 

Field	Description	Used By: Required (R) or Optional (O)	Data Type & Length
	where <n> is the payment number and <m> is the total number of payments. For example, for the third installment in a series of seven payments, the PYMT<n>OF<m> portion of the merchant descriptor would be PYMT3OF7. For other types of transactions, you must use one of the following formats:  o &lt;12-character merchant name&gt;* &lt;9-character product description&gt;</m></n></m></n>		
	<ul><li>&lt;7-character merchant name&gt;* &lt;14-character product description&gt;</li></ul>		
	<ul><li>&lt;3-character merchant name&gt;* &lt;18-character product description&gt;</li></ul>		
	This field is supported only for Visa, Mastercard, and Discover. To add this value to your account, contact customer support.		
invoiceHeader_m erchantDescripto rContact	Merchant contact information, such as a phone number, that is displayed on the cardholder's statement. When you include more than one consecutive space, extra spaces are removed. You must use one of the following formats:	ccAuthService (R when the merchant descriptor field is included in the request)  ccCaptureService (R when the merchant	String (13)

Field	Description	Used By: Required (R) or Optional (O)	Data Type & Length
	• PCCCCCCCCCC • NNN-NNN-NNNN	descriptor field is included in the request)	
	• NNN-NNN-NAAA	ccCreditService	
	• NNN-NNN-AAAA	(R when the merchant	
	• NNN-AAAAAA	descriptor field is included in the	
	where:	request)	
	• A: Alphanumeric (alpha or numeric)		
	• C: Character (alpha or blank)		
	• N: Numeric		
	• P: Alpha		
	This field is supported only for Visa, Mastercard, and Discover To add this value to your account, contact customer support.		

## Cielo Merchant Descriptor

### Service:

Authorization

This feature enables you to submit a merchant descriptor value that appears on a cardholder's statement.

**Merchant Descriptor Field for Cielo** 

Field	Description	Used By: Req uired (R) or Optional (O)	Data Type & Length
invoiceHeader_m erchantDescrip tor	Your business name.  This name appears on the cardholder's statement. When you do not include this value in your request, the value in your account is sent to the processor. To add this value to your account, contact customer support.  This field is used for aggregator support as described in <i>Credit Card Services Using the Simple Order API</i> .	ccAuthService (R for aggregator transactions; otherwise, optional)	String (13)

## Comercio Latino Merchant Descriptor

### Service:

Authorization

This feature enables you to submit a merchant descriptor value that appears on a cardholder's statement.

The merchant descriptor field is passed only to the Cielo acquirer.

**Merchant Descriptor Field for Comercio Latino** 

Field	Description	Used By: Req uired (R) or Optional (O)	Data Type & Length
invoiceHeader_m erchantDescrip tor	Your business name. This name appears on the cardholder's statement. When you do not include this value in your request, the value in your account is sent to the processor. To add this value to your account, contact customer support.	ccAuthService (O)	String (13)

## Elavon Merchant Descriptor

### **Services:**

- Authorization
- Capture
- Credit

### Card type:

• Diners Club

This feature enables you to submit a merchant descriptor value that appears on a cardholder's statement.

Before including merchant descriptors in your requests, check with your bank to learn whether you must preregister your merchant descriptor information with them.

**Merchant Descriptor Field for Elavon** 

Field	Description	Used By: Req uired (R) or Optional (O)	Data Type & Length
invoiceHeader_m erchantDescrip tor	Merchant description that appears on the cardholder's statement.  When you include more than one consecutive space, extra spaces are removed.	ccAuthService (0) ccCaptureService (0) ccCreditService (0)	String (22)

## Elavon Americas Merchant Descriptors

#### **Services:**

- Authorization
- Capture
- Credit

This feature enables you to submit merchant descriptor values that appear on a cardholder's statement.

Before including merchant descriptors in your requests, check with your bank to learn whether you must preregister your merchant descriptor information with them.

**Merchant Descriptor Fields for Elavon Americas** 

Field	Description	Used By: Req uired (R) or Optional (O)	Data Type & Length
invoiceHeader_me rchantDescriptor	Your business name. This name appears on the cardholder's statement. When you include more than one consecutive space, extra spaces are removed.	ccAuthService (0) ccCaptureServ ice (0)	String (23)
	When you do not include this value in your authorization request, the merchant name in your account is sent to the processor. To add this value to your account, contact customer support.	ccCreditService (0)	
invoiceHeader_me rchantDescriptor City	City for your business location. This value might appear on the cardholder's statement.	ccAuthService (0) ccCaptureServ	String (13)
	When you do not include this value in your authorization request, the value in your account is sent to the processor. To add this value to your account, contact customer support.	ice (0)  ccCreditService (0)	
invoiceHeader_me rchantDescriptor Contact	Telephone number for your business. This value might appear on the cardholder's statement.	ccAuthService (0)	String (14)

**Merchant Descriptor Fields for Elavon Americas (continued)** 

Field	Description	Used By: Req uired (R) or Optional (O)	Data Type & Length
	When you include more than one consecutive space, extra spaces are removed.  When you do not include this value in your authorization request, the merchant phone number in your account is sent to the processor.  To add this value to your account, contact customer support.	ccCaptureServ ice (0) ccCreditService (0)	
invoiceHeader_me rchantDescriptor Country	Country code for your business location. Use the standard <i>ISO Standard Country Codes</i> . This value might appear on the cardholder's statement.  When you do not include this value in your authorization request, the value in your account is sent to the processor. To add this value to your account, contact customer support.	ccAuthService (0)  ccCaptureServic e(0)  ccCreditService (0)	String (2)
invoiceHeader_me rchantDescriptor PostalCode	Postal code for your business location. This value might appear on the cardholder's statement.  If your business is domiciled in the U.S., you can use a 5-digit or 9-digit postal code. A 9-digit postal code must follow this format: [5 digits][dash][4 digits]  Example: 12345-6789  If your business is domiciled in Canada, you can use a 6-digit or 9-digit postal code. A 6-digit postal code must follow this format: [alpha][numeric][alpha][space] [numeric][alpha][numeric]  Example: A1B 2C3	ccAuthService (0)  ccCaptureServ ice (0)  ccCreditService (0)	String (14)

**Merchant Descriptor Fields for Elavon Americas (continued)** 

Field	Description	Used By: Req uired (R) or Optional (O)	Data Type & Length
	When you do not include this value in your authorization request, the value in your account is sent to the processor. To add this value to your account, contact customer support.		
	Important: Mastercard requires a postal code for any country that uses postal codes. You can provide the postal code in your account or you can include this field in your request.		
invoiceHeader_me rchantDescriptorS tate	State code or region code for your business location. This value might appear on the cardholder's statement.  For the U.S. and Canada, use the standard <i>State, Province, and Territory Codes for the United States and Canada</i> .  When you do not include this value in your authorization request, the value in your account is sent to the processor. To add this value to your account, contact customer support.	ccAuthService (O)  ccCaptureServ ice (O)  ccCreditService (O)	String (3)
invoiceHeader_me rchantDescriptorS treet	Street address for your business location. This value might appear on the cardholder's statement.  When you do not include this value in your capture or credit request, the value in your account is sent	ccAuthService (0)  ccCaptureServ ice (0)  ccCreditService (0)	String (60)

**Merchant Descriptor Fields for Elavon Americas (continued)** 

Field	Description	Used By: Req uired (R) or Optional (O)	Data Type & Length
	to the processor. To add this value to your account, contact customer support.		

## FDC Compass Merchant Descriptors

#### Services:

- Authorization—only for aggregators
- Capture—only for merchants who are not aggregators
- Credit—only for merchants who are not aggregators

This feature enables you to submit merchant descriptor values that appear on a cardholder's statement.

Before including merchant descriptors in your requests:

- Prepare a list of the merchant descriptors you plan to use.
- Contact FDC Compass for information about working with merchant descriptors. FDC Compass restricts the number of merchant descriptors you can use.
- Contact customer support to have your account enabled for this feature.

### **Characters**

In the merchant descriptor fields, question marks are replaced with spaces.

Do not use the following punctuation characters in the merchant descriptor fields because they will cause the transaction to be rejected with reason code 233:

backslash (\)open bracket ([)

caret ( ^ )

- close bracket (])
- tilde ( ~ )
- accent (`)

### **API Fields**

**Merchant Descriptor Fields for FDC Compass** 

Field	Description	Used By: Req uired (R) or Optional (O)	Data Type & Length
invoiceHeader_a mexDataTAA1  invoiceHeader_a mexDataTAA2  invoiceHeader_a mexDataTAA3  invoiceHeader_a mexDataTAA4	Four Transaction Advice Addendum (TAA) fields. These fields are used to display descriptive information about a transaction on the customer's American Express card statement. When you send TAA fields, start with invoiceHeader_amexDataTAA1, thenTAA2, and so on. Skipping a TAA field causes subsequent TAA fields to be ignored.  These fields are frequently used for Level II transactions. See Level II and Level III Processing Using the Simple Order API.	ccCaptureService (0) ccCreditService (0)	String (40)
invoiceHeader_m erchantDescrip tor	Merchant description that is displayed on the cardholder's statement. When you include more than one consecutive space, extra spaces are removed. For an installment transaction, you must use one of the following formats:  • <12-character merchant name>*PYMT <n>OF<m>  • &lt;7-character merchant name&gt;*PYMT<n>OF<m>  • &lt;3-character merchant name&gt;*PYMT<n>OF<m>  • &lt;3-character merchant name&gt;*PYMT<n>OF<m>  for<m>  where <n> is the payment number and <m> is the total number of payments. For example, for the third</m></n></m></m></n></m></n></m></n></m></n>	ccAuthService (R when the merchant descriptor contact is included in the request)  ccCaptureService (R when the merchant descriptor contact is included in the request)  ccCreditService (R when the merchant descriptor contact is included in the request)	String (22)

**Merchant Descriptor Fields for FDC Compass (continued)** 

Field	Description	Used By: Req uired (R) or Optional (O)	Data Type & Length
	installment in a series of seven payments, the PYMT <n>OF<m> portion of the merchant descriptor would be PYMT3OF7. For other types of transactions, you must use one of the following formats:  o&lt;12-character merchant name&gt;* &lt;9-character product description&gt;  o&lt;7-character merchant name&gt;* &lt;14-character product description&gt;  o&lt;3-character merchant name&gt;* &lt;18-character product description&gt;  This field is supported only for Visa, Mastercard, and Discover. To add this value to your account, contact customer support.</m></n>		
invoiceHeader_m erchantDescripto rContact	Merchant contact information, such as a phone number, that is displayed on the cardholder's statement. When you include more than one consecutive space, extra spaces are removed. You must use one of the following formats:  • PCCCCCCCCCCC • NNN-NNN-NNNN	ccAuthService (R when the merchant descriptor field is included in the request)  ccCaptureService (R when the merchant descriptor field is included in the request)	String (13)
	• NNN-NNN-AAAA	ccCreditService (R when the merchant	

Merchant Descriptor Fields for FDC Compass (continued)

Merchant Descriptor Fields for FDC Compass (continued)				
Field	Description	Used By: Req uired (R) or Optional (O)	Data Type & Length	
	• NNN-AAAAAAA where:	descriptor field is included in the request)		
	• A: Alphanumeric (alpha or numeric)			
	• C: Character (alpha or blank)			
	• N: Numeric			
	• P: Alpha			
	This field is supported only for Visa, Mastercard, and Discover. To add this value to your account, contact customer support.			

## FDC Nashville Global Merchant Descriptors

#### Services:

- Authorization
- Capture
- Credit

This feature enables you to submit merchant descriptor values that appear on a cardholder's statement.

Before including merchant descriptors in your requests:

- Contact FDC Nashville Global to register to use merchant descriptors.
- Contact customer support to have your account enabled for this feature.

### **Merchant Descriptor Logic**



**Important:** Some of the logic described in this section might not apply to your implementation depending on which parts of the merchant descriptor functionality are enabled in your account.



**Important:** You are responsible for ensuring that all the merchant descriptor location information that is sent to the processor is compatible.

For example, if a request message includes one merchant descriptor location field, the information in your account might be used to populate the remaining merchant descriptor location values that are sent to the processor. Cybersource does not check the merchant descriptor values to ensure that the combination of values from the request message and from your account are compatible.

To avoid a mismatch of merchant descriptor location values, it is recommended that you include all the merchant descriptor location fields in a request or do not include any merchant descriptor location fields in a request.

For authorizations, merchant descriptor information is sent to FDC Nashville Global only when you include merchant descriptor information in the authorization request. For each merchant descriptor, when you do not include the merchant descriptor value in an authorization request, no merchant descriptor value is sent to FDC Nashville Global.

For captures, merchant descriptor information is sent to FDC Nashville Global when you provide merchant descriptor information in the capture request, authorization request, or your account. For each merchant descriptor, when you do not include the merchant descriptor value in a capture request, the value from the authorization request is sent. If you did not include the merchant descriptor value in the authorization request, the value in your account is sent. If the value is not in your account, FDC Nashville Global uses the value in your First Data merchant master file.

For follow-on credits, merchant descriptor information is sent to FDC Nashville Global when you provide merchant descriptor information in the credit request, capture request, authorization request, or your account. For each merchant descriptor, when you do not include the merchant descriptor value in a follow-on credit request, the value from the capture request is sent. If you did not include the merchant descriptor value in the capture request, the value from the authorization request is sent. If you did not include the merchant descriptor value in the authorization request, the value in your account is sent. If the value is not included in your account, FDC Nashville Global uses the value in your First Data merchant master file.

For stand-alone credits, merchant descriptor information is sent to FDC Nashville Global when you provide merchant descriptor information in the credit request or your account. For each merchant descriptor, when you do not include the merchant descriptor value in a stand-alone credit request, the value in your account is sent. If the value is not included in your account, FDC Nashville Global uses the value in your First Data merchant master file.

To add a merchant descriptor value to your account, contact customer support.

### **API Fields**

**Merchant Descriptor Fields for FDC Nashville Global** 

Field	Description	Used By: Req uired (R) or Optional (O)	Data Type & Length
invoiceHeader_ merchantDescri ptor	Business description. This value must consist of your business name. When payments are made in installments, this value must also include installment information such as "1 of 5" or "3 of 7."  This value appears on the cardholder's statement.	ccAuthService (R when a merchant descriptor contact or merchant descriptor state is included; otherwise, optional)	String (22)

Field	Description	Used By: Req uired (R) or Optional (O)	Data Type & Length
	When you include this field in a request, you must also include a merchant descriptor contact and merchant descriptor state.  For information about what happens when you do not include this value in your request, see Merchant Descriptor Logic (on page 30).	ccCaptureService (R when a merchant descriptor contact or merchant descriptor state is included; otherwise, optional)	
		ccCreditService (R when a merchant descriptor contact or merchant descriptor state is included; otherwise, optional)	
invoiceHeader_ merchantDescri ptorAlternate	Alternate contact information for your business, such as an email address or URL.  This value might appear on the cardholder's statement.  For information about what happens when you do not include this value in your request, see Merchant Descriptor Logic (on page 30). For authorizations, this value is not sent to the processor. Instead, this value is stored and sent to the processor for captures and follow-on credits.	ccAuthService (0) ccCaptureService (0) ccCreditService (0)	String (13)
invoiceHeader_ merchantDescri ptorContact	Contact information for your business. For a card-present request, this value must be the city in which your store or outlet is located. For a card-not-present request, this value must be your customer service	ccAuthService (R when a merchant descriptor or merchant descriptor state	String (11)

Field	Description	Used By: Req uired (R) or Optional (O)	Data Type & Length
	telephone number. When you include more than one consecutive space, extra spaces are removed.  This value might appear on the	is included; otherwise, optional) ccCaptureService	
	cardholder's statement.  When you include this field in a request, you must also include a merchant descriptor and merchant descriptor state.  For information about what happens when you do not include this value	(R when a merchant descriptor or merchant descriptor state is included; otherwise, optional)	
	in your request, see Merchant Descriptor Logic (on page 30).	ccCreditService (R when a merchant descriptor or merchant descriptor state is included; otherwise, optional)	
invoiceHeader_ merchantDescri ptorCountry	Country in which your business is located. Use the two-character <i>ISO Standard Country Codes</i> .  This value might appear on the cardholder's statement.  For information about what happens when you do not include this value in your request, see Merchant Descriptor Logic (on page 30).	ccAuthService (0) ccCaptureService (0) ccCreditService (0)	String (2)
invoiceHeader_ merchantDescri ptorPostalCode	Postal code for your business location.  This value might appear on the cardholder's statement.	ccAuthService (0) ccCaptureService (0) ccCreditService (0)	String (10)

Field	Description	Used By: Req uired (R) or Optional (O)	Data Type & Length
	When the merchant descriptor country is the U.S., the postal code must consist of five digits or nine digits. A 9-digit postal code must follow this format:  [5 digits][dash][4 digits]		
	<b>Example:</b> 12345-6789		
	When the merchant descriptor country is Canada, the 6-digit postal code must follow this format: [alpha][numeric][alpha][space] [numeric][alpha][numeric]		
	Example: A1B 2C3		
	For information about what happens when you do not include this value in your request, see Merchant Descriptor Logic (on page 30).		
invoiceHeader_ merchantDescri ptorState	State or territory in which your business is located. cardholder's statement.  When the merchant descriptor	ccAuthService (R when a merchant descriptor or merchant descriptor contact	String (20)
	country is the U.S. or Canada, use the State, Province, and Territory Codes for the United States and Canada.	is included; otherwise, optional)	
	This value might appear on the cardholder's statement.	ccCaptureService (R when a merchant	
	When you include this field in a request, you must also include a merchant descriptor and merchant descriptor contact.	descriptor or merchant descriptor contact is included; otherwise,	
	For information about what happens when you do not include this value in your request, see Merchant Descriptor Logic (on page 30).	optional)  ccCreditService (R when a	

Field	Description	Used By: Req uired (R) or Optional (O)	Data Type & Length
		descriptor or merchant descriptor contact is included; otherwise, optional)	
invoiceHeader_ merchantDescri ptorStreet	Street address for your business location.  When you include this value in your request, the following actions are recommended:	ccAuthService (0) ccCaptureService (0) ccCreditService	String (60)
	<ul> <li>If you are located in the United States or Canada, also include the merchant descriptor country, merchant descriptor state, and merchant descriptor postal code in your request.</li> <li>If you are not located in the United States or Canada, also include the merchant descriptor country and merchant descriptor postal code in your request.</li> </ul>	FDC Nashville Global recommends that you include this value for debit card requests and for American Express credit card requests.	
	This value might appear on the cardholder's statement.  For information about what happens when you do not include this value in your request, see Merchant Descriptor Logic (on page 30).		

## FDMS South Merchant Descriptor

#### Services:

- Authorization
- Capture
- Credit

This feature enables you to submit a merchant descriptor value that appears on a cardholder's statement.

FDMS South permits you to send a unique merchant descriptor with every transaction. This is useful when you want to include the order number as part of the merchant descriptor.

Before including a merchant descriptor in your requests:

- Contact FDMS South to register to use merchant descriptors.
- Contact customer support to have your account configured for this feature.

**Merchant Descriptor Field for FDMS South** 

Field	Description	Used By: Req uired (R) or Optional (O)	Data Type & Length
invoiceHeader_m erchantDescrip	Merchant description that appears on the cardholder's statement.	ccAuthService (0)	String (22)
tor	When you include more than one consecutive space, extra spaces are removed.	ccCaptureService (0) ccCreditService	
		(0)	

# Getnet Merchant Descriptor

### Service:

Authorization

This feature enables you to submit a merchant descriptor value that appears on a cardholder's statement.

**Merchant Descriptor Field for Getnet** 

Field	Description	Used By: Req uired (R) or Optional (O)	Data Type & Length
invoiceHeader_m erchantDescrip tor	Your business name.  This name appears on the cardholder's statement. When you do not include this value in your request, the value in your account is sent to the processor.  Aggregator Transactions  All characters must be uppercase letters. Special characters are not allowed. See the information about aggregator support in <i>Credit Card Services Using the Simple Order API</i> .  Non-Aggregator Transactions  Special characters allowed:  % \$ , . / & ( ) + = = < > - *	ccAuthService (R for aggregator transactions. Otherwise, optional.)	Aggrega tor transactio ns: String (14) Other transactio ns: String (22)

### **GPN Merchant Descriptors**

#### **Services:**

- Capture
- Credit

This feature enables you to submit merchant descriptor values that appear on a cardholder's statement.

Before including merchant descriptors in your requests, contact your merchant account provider to register to use merchant descriptors.

To avoid network compliance issues, it is recommended that your authorization and capture transactions use the same merchant descriptors.

The value you use in your authorization transaction will be the default value in follow-on transactions.

**Merchant Descriptor Fields for GPN** 

Field	Description	Used By: Req uired (R) or Optional (O)	Data Type & Length
invoiceHeader_m erchantDescrip tor	Merchant description that appears on the cardholder's statement.  When you include more than one consecutive space, extra spaces are removed.	ccCaptureService (R when the merchant descriptor contact is included in the request)  ccCreditService (R when the merchant descriptor contact is included in the request)	String (22)
invoiceHeader_m erchantDescripto rContact	Merchant contact information, such as a phone number, that appears on the cardholder's statement.  When you include more than one consecutive space, extra spaces are removed.	ccCaptureService (0) ccCreditService (0)	String (13)

### OmniPay Direct Merchant Descriptors

### **Services:**

- Authorization
- Capture
- Credit

This feature enables you to submit merchant descriptor values that appear on a cardholder's statement.

**Merchant Descriptor Fields for OmniPay Direct** 

			_
Field	Description	Used By: Req uired (R) or Optional (O)	Data Type & Length
invoiceHeader_me rchantDescriptor	Your business name. This name appears on the cardholder's statement. When you include more than one consecutive space, extra spaces are removed.  When you do not include this value in your capture or credit request, the value from your authorization	ccAuthService (0)  ccCaptureService (0)  ccCreditService (0)	String (23)
	request is sent to the processor.  If you did not include this value in your authorization request, the merchant name in your account is sent. To add this value to your account, contact customer support.		
	! Important: This value must consist of English characters.		
invoiceHeader_me rchantDescriptor City	City for your business location. This value might appear on the cardholder's statement.	ccAuthService (0) ccCaptureService	String (13)
	When you do not include this value in your capture or credit request, the value from your authorization	(0)	

**Merchant Descriptor Fields for OmniPay Direct (continued)** 

Merchant Descriptor	Fields for OmniPay Direct (continued)		
Field	Description	Used By: Req uired (R) or Optional (O)	Data Type & Length
	request is sent to the processor. If you did not include this value in your authorization request, the value in your account is sent. To add this value to your account, contact customer support.  Important: This value must consist of English characters.	ccCreditService (0)	
invoiceHeader_me rchantDescriptor Country	Country code for your business location. Use the standard ISO Standard Country Codes. This value might appear on the cardholder's statement.  When you do not include this value in your capture or credit request, the value from your authorization request is sent to the processor. If you did not include this value in your authorization request, the merchant country in your account is sent. To add this value to your account, contact customer support.  Important: This value must consist of English characters.	ccAuthService (0) ccCaptureService (0) ccCreditService (0)	String (2)
invoiceHeader_me rchantDescriptor PostalCode	Postal code for your business location. This value might appear on the cardholder's statement.	ccAuthService (0) ccCaptureService (0) ccCreditService (0)	String (10)

**Merchant Descriptor Fields for OmniPay Direct (continued)** 

Description	Used By: Req uired (R) or Optional (O)	Data Type & Length
If your business is domiciled in the U.S., you can use a 5-digit or 9-digit postal code. A 9-digit postal code must follow this format:  [5 digits][dash][4 digits]		
If your business is domiciled in Canada, you can use a 6-digit or 9-digit postal code. A 6-digit postal code must follow this format: [alpha][numeric][alpha][space] [numeric][alpha][numeric]		
When you do not include this value in your capture or credit request, the value from your authorization request is sent to the processor. If you did not include this value in your authorization request, the merchant postal code in your account is sent. To add this value to your account, contact customer support.		
Important: This value must consist of English characters.  Mastercard requires a postal code for any country that uses postal codes. You can provide the postal code in your account or you can include this field in your request.		
	If your business is domiciled in the U.S., you can use a 5-digit or 9-digit postal code. A 9-digit postal code must follow this format: [5 digits][dash][4 digits]  Example: 12345-6789  If your business is domiciled in Canada, you can use a 6-digit or 9-digit postal code. A 6-digit postal code must follow this format: [alpha][numeric][alpha][space] [numeric][alpha][numeric]  Example: A1B 2C3  When you do not include this value in your capture or credit request, the value from your authorization request is sent to the processor. If you did not include this value in your authorization request, the merchant postal code in your account is sent. To add this value to your account, contact customer support.  Important: This value must consist of English characters.  Mastercard requires a postal code for any country that uses postal codes. You can provide the postal code in your account or you can include this field in your	If your business is domiciled in the U.S., you can use a 5-digit or 9-digit postal code. A 9-digit postal code must follow this format: [5 digits] [dash][4 digits]  Example: 12345-6789  If your business is domiciled in Canada, you can use a 6-digit or 9-digit postal code. A 6-digit postal code must follow this format: [alpha][numeric][alpha][space] [numeric][alpha][numeric]  Example: A1B 2C3  When you do not include this value in your capture or credit request, the value from your authorization request is sent to the processor. If you did not include this value in your authorization request, the merchant postal code in your account is sent. To add this value to your account, contact customer support.  Important: This value must consist of English characters.  Mastercard requires a postal code for any country that uses postal codes. You can provide the postal code in your account or you can include this field in your

Merchant Descriptor Fields for OmniPay Direct (continued)

Field	Description	Used By: Req uired (R) or Optional (O)	Data Type & Length
invoiceHeader_me rchantDescriptorS tate	State code or region code for your business location. This value might appear on the cardholder's statement.  For the U.S. and Canada, use the standard State, Province, and Territory Codes for the United States and Canada.  When you do not include this value in your capture or credit request, the value from your authorization request is sent to the processor. If you did not include this value in your authorization request, the merchant state in your account is sent. To add this value to your account, contact customer support.  Important: This value must consist of English characters.	ccAuthService (0) ccCaptureService (0) ccCreditService (0)	String (3)

# Prosa Merchant Descriptor

### Service:

Authorization

This feature enables you to submit a merchant descriptor value that appears on a cardholder's statement.

**Merchant Descriptor Field for Prosa** 

Field	Description	Used By: Req uired (R) or Optional (O)	Data Type & Length
invoiceHeader_m erchantDescrip tor	Your business name. This name appears on the cardholder's statement. When you do not include this value in your request, the value in your account is sent to the processor. To add this value to your account, contact customer support.	ccAuthService (O)	String (22)

# Rede Merchant Descriptor

### Service:

Authorization

This feature enables you to submit a merchant descriptor value that appears on a cardholder's statement.

**Merchant Descriptor Field for Rede** 

Field	Description	Used By: Req uired (R) or Optional (O)	Data Type & Length
invoiceHeader_m erchantDescrip tor	Your business name.  This name appears on the cardholder's statement.  When you include more than one consecutive space, extra spaces are removed. When you send a value that exceeds the maximum length, the value is truncated before it is sent to the processor.  This field is used for aggregator support as described in <i>Credit Card Services Using the Simple Order API</i> .	ccAuthService (R for aggregator transactions. Otherwise, optional.)	String (13)

### SIX Merchant Descriptors

#### **Services:**

- Authorization
- Capture
- Credit

This feature enables you to submit merchant descriptor values that appear on a cardholder's statement.

Before including merchant descriptors in your requests:

- Contact SIX to let them know the values you will be sending in these fields.
- Contact customer support to have your account configured for this feature.

**Merchant Descriptor Fields for SIX** 

Field	Description	Used By: Req uired (R) or Optional (O)	Data Type & Length
invoiceHeader_me rchantDescriptor	Your business name. This name appears on the cardholder's statement. When you include more than one consecutive space, extra spaces are removed.  When you do not include this value in your capture or credit request, the value from your authorization request is sent to the processor. If you did not include this value in your authorization request, the merchant name in your account is sent. To add this value to your account, contact customer support.	ccAuthService (R when any other merchant descriptor field is included in the request; otherwise, optional)  ccCaptureService (R when any other merchant descriptor field is included in the request; otherwise,	String (23)
	! Important: This value must consist of English characters.	optional)  ccCreditService (R when any	
		other merchant descriptor field is included in	

Field	Description	Used By: Req uired (R) or Optional (O)	Data Type & Length
		the request; otherwise, optional)	
invoiceHeader_me rchantDescriptor City	City for your business location. This value might appear on the cardholder's statement.  When you do not include this value in your capture or credit request, the value from your authorization request is sent to the processor. If you did not include this value in your authorization request, the merchant city in your account is sent. To add this value to your account, contact customer support.  Important: This value must consist of English characters.	ccAuthService (R when any other merchant descriptor field is included in the request; otherwise, optional)  ccCaptureService (R when any other merchant descriptor field is included in the request; otherwise, optional)  ccCreditService (R when any other merchant descriptor field is included in the request; otherwise, optional)	String (13)
invoiceHeader_me rchantDescriptor Country	Country code for your business location. Use the standard ISO Standard Country Codes. This value might appear on the cardholder's statement.  When you do not include this value in your capture or credit request, the value from your authorization request is sent to the processor. If you did not include this value in your authorization request, the	ccAuthService (R when any other merchant descriptor field is included in the request; otherwise, optional)  ccCaptureService (R when any other merchant descriptor field	String (2)

Merchant Descriptor Fields for SIX (continued)

Field	Description	Used By: Req uired (R) or Optional (O)	Data Type & Length
	merchant country in your account is sent. To add this value to your account, contact customer support.	is included in the request; otherwise, optional)	
	! Important: This value must consist of English characters.	ccCreditService (R when any other merchant descriptor field	
		is included in the request; otherwise, optional)	

# Software Express Merchant Descriptor

### Service:

Authorization

This feature enables you to submit a merchant descriptor value that appears on a cardholder's statement.

**Merchant Descriptor Field for Software Express** 

Field	Description	Used By: Required (R) or Optional (O)	Data Type & Length
invoiceHeader_merchantDescr iptor	Your business name. This name appears on the cardholder's statement.	ccAuthService	String
	This field is used for aggregator support as described in the <i>Credit Card Services Using the Simple Order API</i> .	Required for aggregator transactions. Otherwise, not used.	

### Streamline Merchant Descriptors

#### **Services:**

- Capture
- Credit

This feature enables you to submit merchant descriptor values that appear on a cardholder's statement.

Before including merchant descriptors in your requests:

- Contact Streamline to let them know the values you will be sending in these fields.
- Contact customer support to have your account configured for this feature.

**Merchant Descriptor Fields for Streamline** 

Field	Description	Used By: Req uired (R) or Optional (O)	Data Type & Length
invoiceHeader_me rchantDescriptor	Your business name. When you include more than one consecutive space, extra spaces are removed.	ccCaptureService (R when any other merchant descriptor field is included in the request; otherwise, optional)  ccCreditService (R when any other merchant descriptor field is included in the request; otherwise, optional)	String (22)
invoiceHeader_me rchantDescriptor Contact	Contact information for your business. When you include more than one consecutive space, extra spaces are removed.  For card-present transactions, Streamline recommends that this field contain your city. For card-not-present transactions,	ccCaptureService (R when any other merchant descriptor field is included in the request; otherwise, optional)	String (13)

**Merchant Descriptor Fields for Streamline (continued)** 

Field	Description	Used By: Req uired (R) or Optional (O)	Data Type & Length
	Streamline recommends that this field contain the telephone number for your help desk or the URL for your web site. When you provide a telephone number in this field, the first three digits must be numeric.	ccCreditService (R when any other merchant descriptor field is included in the request; otherwise, optional)	
invoiceHeader_me rchantDescriptor PostalCode	Postal code for your business location.	ccCaptureService (R when any other merchant descriptor field is included in the request; otherwise, optional)  ccCreditService (R when any other merchant descriptor field is included in the request; otherwise, optional)	String (10)
invoiceHeader_me rchantDescriptorS treet	Street address for your business location.	ccCaptureService (R when any other merchant descriptor field is included in the request; otherwise, optional)  ccCreditService (R when any other merchant descriptor field is included in the request; otherwise, optional)	String (26)

## TSYS Acquiring Solutions Merchant Descriptors

#### **Services:**

- Capture
- Credit

This feature enables you to submit merchant descriptor values that appear on a cardholder's statement.

Before including merchant descriptors in your requests, contact customer support to have your account configured for this feature.

**Merchant Descriptor Fields for TSYS Acquiring Solutions** 

Field	Description	Used By: Req uired (R) or Optional (O)	Data Type & Length
invoiceHeader_me rchantDescriptor	Your business name. When you include more than one consecutive space, extra spaces are removed.  When you do not include this value in your request, the business name in your account is sent to the processor. To add this value to your account, contact customer support.	ccCaptureService  ccCreditService  Required when the merchant descriptor contact field is included in the request; otherwise, optional.	American Express card type: String (38)  All other card types: String (23)
invoiceHeader_me rchantDescriptor City	City for your business location.  When you do not include this value in your request, the value in your account is sent to the processor. To add this value to your account, contact customer support.	ccCaptureService (0) ccCreditService (0)	American Express card type: String (21)  All other card types: String (13)
invoiceHeader_me rchantDescriptor Contact	For card-present transactions, TSYS Acquiring Solutions recommends that this field contain the street address for your business location. For card-not-present transactions, TSYS Acquiring Solutions	ccCaptureService (0) ccCreditService (0)	String (13)

**Merchant Descriptor Fields for TSYS Acquiring Solutions (continued)** 

Field	Description	Used By: Req uired (R) or Optional (O)	Data Type & Length
	recommends that this field contain the phone number for your business or the URL for your web site.		
	When you do not include this value in your request, the value in your account is sent to the processor. To add this value to your account, contact customer support.		

# Vero Merchant Descriptor

### Service:

- Authorization
- Capture
- Credit

This feature enables you to submit a merchant descriptor value that appears on a cardholder's statement.

**Merchant Descriptor Field for Vero** 

Field	Description	Used By: Required (R) or Optional (O)	Data Type & Length
invoiceHeader_merchantDescr iptor	Your business name. This name appears on the cardholder's statement. When you do not include this value in your request, the value in your account is sent to the processor. To add this value to your account, contact customer support.	ccAuthService (0) ccCaptureService (0) ccCreditService (0)	String (23)
invoiceHeader_merchantDescr iptorContact	Telephone number for your business. This value might appear on the cardholder's statement. When you include more than one consecutive space, extra spaces are removed.  When you do not include this value in your authorization request, the merchant phone number in your account is sent to the processor. To add this	ccAuthService (0) ccCaptureService (0) ccCreditService (0)	String (13)

**Merchant Descriptor Field for Vero (continued)** 

Field	Description	Used By: Required (R) or Optional (O)	Data Type & Length
	value to your account, contact customer support.		

### Visa Platform Connect Merchant Descriptors

#### Services:

- Authorization
- Capture
- Credit

This feature enables you to submit merchant descriptor values that appear on a cardholder's statement.

Before including merchant descriptors in your requests, check with your bank to learn whether you must preregister your merchant descriptor information with them.

Visa Platform Connect supports the merchant descriptors shown in "Merchant Descriptor Fields for Authorizations for Visa Platform Connect," (on page 55), for authorizations, and the merchant descriptors shown in "Merchant Descriptor Fields for Captures and Credits for Visa Platform Connect," (on page 59), for captures and credits.

Merchant descriptor information is always sent to the acquirer for all your authorization, capture, and credit transactions. The field descriptions in the following table describe the values that are sent when you do not include merchant descriptor information in your requests.

**Merchant Descriptor Fields for Authorizations for Visa Platform Connect** 

Field	Description	Used By: Req uired (R) or Optional (O)	Data Type & Length
invoiceHeader_me rchantDescriptor	Your business name. This name appears on the cardholder's statement. When you include more than one consecutive space, extra spaces are removed.  When you do not include this value in your request, the merchant name in your account is sent to the acquirer. To add this value to your account, contact customer support.  Important: This value must consist of English characters.	ccAuthService (O)	String (23)

**Merchant Descriptor Fields for Authorizations for Visa Platform Connect (continued)** 

Field	Description	Used By: Req uired (R) or Optional (O)	Data Type & Length
invoiceHeader_me rchantDescriptor City	City for your business location. This value might appear on the cardholder's statement.  When you do not include this value in your request, the value in your account is sent to the acquirer. To add this value to your account, contact customer support.  Important: This value must consist of English characters.	ccAuthService (0)	String (13)
invoiceHeader_me rchantDescriptor Contact	Telephone number for your business. This value might appear on the cardholder's statement. When you include more than one consecutive space, extra spaces are removed.  When you do not include this value in your request, the merchant phone number in your account is sent to the acquirer. To add this value to your account, contact customer support.  Important: This value must consist of English characters.	ccAuthService (0)	String (14)
invoiceHeader_me rchantDescriptor Country	Country code for your business location. Use the standard <i>ISO Standard Country Codes</i> . This value might appear on the cardholder's statement.  When you do not include this value in your request, the value in your account is sent to the acquirer.  To add this value to your account, contact customer support.	ccAuthService (0)	String (2)

**Merchant Descriptor Fields for Authorizations for Visa Platform Connect (continued)** 

Field	Description	Used By: Req uired (R) or Optional (O)	Data Type & Length
	<b>Important:</b> This value must consist of English characters.		
invoiceHeader_me rchantDescriptor CountryOfOrigin	Merchant country of origin.  Use the ISO Standard Country Codes.  ! Important: This value	ccAuthService (R if you are a government-cont rolled merchant; otherwise, 0)	String (2)
	must consist of English characters.  This field is supported only for Mastercard.  If you are a government-controlled		
	merchant, you must include this field. Instead of sending this field, you can ensure that your Cybersource account includes the correct country code.		
invoiceHeader_me rchantDescriptor PostalCode	Postal code for your business location. This value might appear on the cardholder's statement.  If your business is domiciled in the U.S., you can use a 5-digit or 9-digit postal code. A 9-digit postal code must follow this format:  [5 digits][dash][4 digits]	ccAuthService (R for POS transactions in Brazil; otherwise, O)	Brazil: String (8) All other countries: String (14)
	Example: 12345-6789  If your business is domiciled in Canada, you can use a 6-digit or 9-digit postal code. A 6-digit postal code must follow this format: [alpha][numeric][alpha][space] [numeric][alpha][numeric]  Example: A1B 2C3		

**Merchant Descriptor Fields for Authorizations for Visa Platform Connect (continued)** 

Field	Description	Used By: Req uired (R) or Optional (O)	Data Type & Length
	When you do not include this value in your request, the value in your account is sent to the acquirer.  To add this value to your account, contact customer support.		
	<b>Important:</b> This value must consist of English characters.		
	Mastercard requires a postal code for any country that uses postal codes. You can provide the postal code in your account or you can include this field in your request.		
invoiceHeader_me rchantDescriptorS tate	State code or region code for your business location. This value might appear on the cardholder's statement.	ccAuthService (0)	String (3)
	For the U.S. and Canada, use the standard <i>State, Province, and Territory Codes for the United States and Canada</i> .		
	When you do not include this value in your request, the value in your account is sent to the acquirer.  To add this value to your account, contact customer support.		
	<b>Important:</b> This value must consist of English characters.		
	The value for this field corresponds to the following data in the TC 33 capture file <sup>1</sup> :		
	Record: CP01 TCR4		
	Position: 103-105		
	Field: Merchant State/Province Code		

1 The TC 33 Capture file contains information about the purchases and refunds that you send to Cybersource. Visa Platform Connect creates the TC 33 Capture file at the end of the day and sends it to the merchant's acquirer, who uses this information to facilitate end-of-day clearing processing with payment networks.

**Merchant Descriptor Fields for Captures and Credits for Visa Platform Connect** 

Field	Description	Used By: Req uired (R) or Optional (O)	Data Type & Length
invoiceHeader_me rchantDescriptor	Your business name. This name appears on the cardholder's statement. When you include more than one consecutive space, extra spaces are removed.  When you do not include this value in your capture or credit request, the value from your authorization request is sent to the acquirer. If you did not include this value in your authorization request, the merchant name in your account is sent to the acquirer. To add this value to your account, contact customer support.  Important: This value must consist of English characters.	ccCaptureService (0) ccCreditService (0)	String (23)
invoiceHeader_me rchantDescriptor Alternate	Alternate contact information for your business, such as an email address or URL. This value might appear on the cardholder's statement.  When you do not include this value in your request, the merchant URL in your account is sent to the acquirer. To add this value to your account, contact customer support.  Important: This value must consist of English characters.	ccCaptureService (0) ccCreditService (0)	String (13)
invoiceHeader_me rchantDescriptor City	City for your business location. This value might appear on the cardholder's statement.	ccCaptureService (0)	String (13)

Field	Description	Used By: Req uired (R) or Optional (O)	Data Type & Length
	When you do not include this value in your capture or credit request for a card-present transaction, the value from your authorization request is sent to the acquirer. If you did not include this value in your authorization request, the merchant city in your account is sent to the acquirer.	ccCreditService (0)	
	When you do not include this value in your capture or credit request for a card-not-present transaction, the merchant city in your account is sent to the acquirer. To add this value to your account, contact customer support.		
	<b>Important:</b> This value must consist of English characters.		
invoiceHeader_me rchantDescriptor Contact	Telephone number for your business. This value might appear on the cardholder's statement. When you include more than one consecutive space, extra spaces are removed.	ccCaptureService (0) ccCreditService (0)	String (14)
	When you do not include this value in your capture or credit request, the value from your authorization request is sent to the acquirer. If you did not include this value in your authorization request, the merchant phone number in your account is sent to the acquirer. To add this value to your account, contact customer support.		
	<b>Important:</b> This value must consist of English characters.		

Field	Description	Used By: Req uired (R) or Optional (O)	Data Type & Length
invoiceHeader_me rchantDescriptor Country	Country code for your business location. Use the standard ISO Standard Country Codes. This value might appear on the cardholder's statement.  When you do not include this value in your capture or credit request, the value from your authorization request is sent to the acquirer. If you did not include this value in your authorization request, the merchant country in your account is sent to the acquirer. To add this value to your account, contact customer support.  Important: This value must consist of English characters.	ccCaptureService (0) ccCreditService (0)	String (2)
invoiceHeader_me rchantDescriptor PostalCode	Postal code for your business location. This value might appear on the cardholder's statement.  If your business is domiciled in the U.S., you can use a 5-digit or 9-digit postal code. A 9-digit postal code must follow this format: [5 digits][dash][4 digits]  Example: 12345-6789  If your business is domiciled in Canada, you can use a 6-digit or 9-digit postal code. A 6-digit postal code must follow this format: [alpha][numeric][alpha][space] [numeric][alpha][numeric]  Example: A1B 2C3	ccCaptureService (R for POS transactions in Brazil; otherwise, 0)  ccCreditService (R for POS transactions in Brazil; otherwise, 0)	Brazil: String (8) All other countries: String (14)

Field	Description	Used By: Req uired (R) or Optional (O)	Data Type & Length
	When you do not include this value in your capture or credit request, the value from your authorization request is sent to the acquirer. If you did not include this value in your authorization request, the merchant postal code in your account is sent to the acquirer. To add this value to your account, contact customer support.		
	<b>Important:</b> This value must consist of English characters.		
	Mastercard requires a postal code for any country that uses postal codes. You can provide the postal code in your account or you can include this field in your request.		
invoiceHeader_me rchantDescriptorS tate	State code or region code for your business location. This value might appear on the cardholder's statement.	ccCaptureService (0) ccCreditService	String (3)
	For the U.S. and Canada, use the standard <i>State, Province, and Territory Codes for the United States and Canada</i> .	(0)	
	When you do not include this value in your capture or credit request, the value from your authorization request is sent to the acquirer. If you did not include this value in your authorization request, the merchant state in your account is sent to the acquirer. To add this value to your account, contact customer support.		
	<b>Important:</b> This value must consist of English characters.		

Field	Description	Used By: Req uired (R) or Optional (O)	Data Type & Length
	The value for this field corresponds to the following data in the TC 33 capture file <sup>1</sup> :		
	<ul> <li>Record: CP01 TCR4</li> <li>Position: 103-105</li> <li>Field: Merchant State/Province Code</li> </ul>		
invoiceHeader_me rchantDescriptorS treet	Street address for your business location. This value might appear on the cardholder's statement.  When you do not include this value in your request, the value in your account is sent to the acquirer.  To add this value to your account, contact customer support.  Important: This value must consist of English characters.	ccCaptureService (0) ccCreditService (0)	String (60)

1 The TC 33 Capture file contains information about the purchases and refunds that you send to Cybersource. Visa Platform Connect creates the TC 33 Capture file at the end of the day and sends it to the merchant's acquirer, who uses this information to facilitate end-of-day clearing processing with payment networks.

### Worldpay VAP Merchant Descriptors

Worldpay VAP was previously called *Litle*. Litle was purchased by Vantiv, which was then purchased by Worldpay VAP. If you have any questions, contact your account manager at Worldpay VAP.

#### Services:

- Authorization
- Credit—stand-alone credits only. Worldpay VAP does not accept merchant descriptors in follow-on credit requests.

This feature enables you to submit merchant descriptor values that appear on a cardholder's statement.

Before including merchant descriptors in your requests:

- Contact Worldpay VAP to register to use merchant descriptors.
- Contact customer support to have your account configured for this feature.

If merchant descriptors are enabled for your account, merchant descriptor information is sent to the processor for all your authorization transactions. When you do not include merchant descriptor information in an authorization request, the default values in your account are sent. To add merchant descriptor values to your account, contact customer support.

**Merchant Descriptor Fields for Worldpay VAP** 

Field	Description	Used By: Req uired (R) or Optional (O)	Data Type & Length
invoiceHeader_me rchantDescriptor	Your business name. This name appears on the cardholder's statement. When you include more than one consecutive space, extra spaces are removed.  When you do not include this value in your request, the value in your account is sent to the processor. To add this value to your account, contact customer support.	ccAuthService (R in the request or your account when merchant descriptor contact is included in the request; otherwise, optional)  ccCreditService (R in the request or your account when merchant descriptor contact	String (22)

Merchant Descriptor Fields for Worldpay VAP (continued)

Field	Description	Used By: Req uired (R) or Optional (O)	Data Type & Length
	You can use one of the following formats for the merchant descriptor field. You are not required to use these formats.	is included in the request; otherwise, optional)	
	<ul><li>&lt;12-character prefix&gt;*&lt;9-character product description&gt;</li></ul>		
	<ul><li>&lt;7-character prefix&gt;*&lt;14-character product description&gt;</li></ul>		
	<ul><li>&lt;3-character prefix&gt;*&lt;18-character product description&gt;</li></ul>		
	When you use one of these formats:		
	The prefix in the merchant descriptor field must be exactly the same as the prefix set in your Worldpay VAP account. Typically, the prefix is your merchant name.		
	The valid characters for the merchant descriptor are:		
	∘ Numbers		
	∘ Letters		
	<ul> <li>The following special characters: ampersand (&amp;), asterisk (*), dash (-), pound sign (#), comma, and period</li> </ul>		

Merchant Descriptor Fields for Worldpay VAP (continued)

Field	Description	Used By: Req uired (R) or Optional (O)	Data Type & Length
invoiceHeader_me rchantDescriptor Alternate	Alternate contact information for your business, such as an email address or URL. This value might appear on the cardholder's statement.	ccAuthService (0) ccCreditService (0)	String (13)
	When you do not include this value in your request, the merchant URL in your account is sent to the processor. To add this value to your account, contact customer support.		
invoiceHeader_me rchantDescriptor City	City or phone number for your business. This value might appear on the cardholder's statement.  When you do not include this value in your request, the value	ccAuthService (0) ccCreditService (0)	String (50)
	in your account is sent to the processor. To add this value to your account, contact customer support.		
invoiceHeader_me rchantDescriptor Contact	Contact information for your business. This value might appear on the cardholder's statement. This value could be used to resolve billing inquiries and disputes. When you include more than one consecutive space, extra spaces are removed.	ccAuthService (0) ccCreditService (0)	String (13)
	When you do not include this value in your request, the URL or phone number in your account is sent to the processor. To add this value to your account, contact customer support.		